

# **HULK FASTENERS.**

FASTENED, FOR LIFE.



## COLOUR GUIDE



# HIDDEN FASTENERS

## CLIP & CLIP SCREW PRODUCT RANGE

### S-SERIES CLIP

Eva-Last created the S-Series clip to match the life expectancy and durability of Eva-Last composite decking materials. This product laid the foundation for the hidden fastener: no more protruding screws, no more ruined finishes, no more untidy aesthetics.

These clips are designed to be used with HULK clip screws to provide a hidden fastening system that gives a clean, neat finish to your deck installation.



**S6 CLIP**

Use for fastening grooved deck boards with a foot height of approximately 6 mm. The S6 clip works with both the metal and timber clip screw.




**S9 CLIP**

Use for fastening grooved deck boards with a foot height of approximately 9 mm. The S9 clip works with both the metal and timber clip screw.


**chain™**  
Collated decking clip

**NEW**

Stainless steel clip with polymer coating



Preloaded with screw for ease of installation



USED ON VARIABLE BOARD HEIGHTS OF 6 MM - 12 MM

Universal collated clips with preloaded screws. Available with either metal or timber clip screws.

## FASTENERS

### TIMBER CLIP SCREW

This screw is specifically designed for use with the HULK hidden deck clips to fasten the deck boards to timber substructure. No pre-drilling required.\*



CS

**CARBON STEEL**  
C1022

SS

**STAINLESS STEEL**  
SS316



C5 / A4  
Marine Grade

COMPATIBLE WITH S-SERIES CLIP AND COLLATED CLIP



### METAL CLIP SCREW


This screw is specifically designed for use with the HULK hidden deck clips to fasten the deck boards to metal substructure. Suitable for metal structures between 0.8 mm and 2.0 mm. No pre-drilling required.\*



CS

**CARBON STEEL**  
C1022

COMPATIBLE WITH S-SERIES CLIP AND COLLATED CLIP




# HIGH TECHNOLOGY MATCHING SCREWS

Colour matching HULK top fixing and trim screws for use with wood or metal frames are available in a variety of natural shades, and offer a tough and durable protective coating. Marine grade stainless steel screws are recommended for Class 5 regions. Stainless or nanocoated carbon screws are best for Class 4 regions and include a 15-year warranty.

## COMPOSITE DECK SCREWS

Composite deck screw for top fixing decking to timber frames



WHITE

LIGHT GREY

BEIGE

TAN BROWN

LIGHT BROWN

BROWN


RED BROWN

DARK BROWN

DARK GREY

## METAL DECK SCREW

Metal deck screw for top fixing decking to metal frames




# COMPOSITE DECK SCREWS

This screw is specifically designed for fastening 20 to 30 mm composite deck boards onto timber frames. Countersinking heads are coloured to match your deck to leave a neat surface finish.



**CS** CARBON STEEL  
C1022

**SS** STAINLESS STEEL  
SS316

 C5 / A4 Marine Grade

Use the table below to help choose the HULK Fasteners screw that best matches your Eva-Last decking or decking of similar colour.



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Baobab ( STW192 ) - Recommended	Cloud Grey ( CG027 ) - Recommended	Caribbean Coral ( C70 ) - Recommended	
	Arctic Birch ( CG005 )	Sapphire Silver ( C10 )	
		Pacific Pearl ( C17 )	



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
White Acacia ( STWBFN )	Misty Grey ( CB023 )	Caribbean Coral ( C70 ) - Recommended	Xavia ( C11 ) - Recommended
Baobab ( STW192 )	Arctic Birch ( CG005 ) - Recommended	Sapphire Silver ( C10 ) - Recommended	
Weathered Ash ( ST362W - 22 ) - Recommended	Alaskan Driftwood ( CG011 ) - Recommended	Pacific Pearl ( C17 )	
	Grey Slate ( CG024 ) - Recommended	Concrete Grey ( C94 )	



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
White Acacia ( STWBFN ) - Recommended	Swedish Oak ( CL016 ) - Recommended	Alpine Mist ( C26 ) - Recommended	Savanna ( C19 )
Jacaranda ( STW052 ) - Recommended	Natural Cedar ( CB024 ) - Alternative	Vintage Cream ( C96 ) - Recommended	
Marula ( STW066 ) - Recommended	Cinnamon Oak ( CL026 ) - Recommended	Swiss Oak ( C92 ) - Recommended	
Bur Oak ( ST362W - 27 )	Misty Grey ( CB023 ) - Recommended	Sahara Sand ( C12 )	
Barrel Oak ( ST362W - 15 )			



# COMPOSITE DECK SCREWS



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Acacia ( STW003 ) - Recommended	Natural Cedar ( CB024 ) - Recommended	Oasis Palm ( C76 )	Savanna ( C19 ) - Recommended
Marula ( STW066 )	Western Red Cedar ( CB025 )	Fire Koa ( C24 ) - Recommended	
Jacaranda ( STW052 ) - Recommended	Himalayan Cedar ( CL14 ) - Recommended	Teak Thai ( C14 ) - Recommended	
	Cedar Rose ( CL017 ) - Recommended	Copper Canyon ( C08 )	
	Chestnut Cedar ( CL017 ) - Recommended		



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
African teak ( STW138 ) - Recommended	Brizillian Teak ( CB010 )	Swiss Oak ( C92 )	Rustek ( C04 ) - Recommended
Jacaranda ( STW052 )	Western Red Cedar ( CB025 ) - Recommended	Oasis Palm ( C76 ) - Recommended	
Bur Oak ( ST362W - 27 ) - Recommended	Himalayan Cedar ( CL14 ) - Recommended	Sahara Sands ( C12 ) - Recommended	
Barrel Oak ( ST362W - 15 ) - Recommended		Tiger Cove ( C06 )	
		Spanish Saffron ( C07 )	




PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Jackalberry ( STW056 ) - Recommended	Brizillian Teak ( CB010 ) - Recommended	Tiger Cove ( C06 ) - Recommended	Aruna ( C05 ) - Recommended
Washed Wenge ( STW058 )	Hawaiian Walnut ( CB013 ) - Recommended	Spanish Saffron ( C07 ) - Recommended	Rustek ( C04 )
	Island Mahogany ( CB015 )		



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
	Island Mahogany ( CB015 ) - Recommended	Copper Canyon ( C08 ) - Recommended	
		Kona Sunset ( C09 ) - Recommended	

# COMPOSITE DECK SCREWS



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Jackalberry ( STW056 )	Carbonised Osage ( CD019 ) - Recommended	Espresso Roast ( C15 ) - Recommended	Aruna ( C05 )
Washed Wenge ( STW058 ) - Recommended			



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Weathered Ash ( ST362W - 22 ) - Recommended	Carbonised Osage ( CD019 )	Cape Town Grey ( C11 ) - Recommended	Xavia ( C11 )
	Siberian Bark ( CD002 ) - Recommended	Concrete Grey ( C94 ) - Recommended	
	Charred Cedar ( CD020 ) - Recommended	Baltic Nero ( C02 ) - Recommended	

# METAL DECK SCREWS

Use the metal deck screw for fastening 20 to 25 mm thick composite deck boards onto most metal frames without having to pre-drill unless specified by the decking manufacturer. This screw is suitable for fastening deck boards onto metal frames of up to 2.0 mm without having to pre-drill; thereafter it is advisable to pre-drill. The detachable reamer wing is only operational in steel upward of 0.8 mm thick. For a tight grip ensure that the wing has broken off.



**CS** **CARBON STEEL**  
C1022

Use the table below to help choose the HULK Fasteners screw that best matches your Eva-Last decking or decking of similar colour.



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Baobab ( STW192 ) - Recommended	Cloud Grey ( CG027 ) - Recommended	Caribbean Coral ( C70 ) - Recommended	
	Arctic Birch ( CG005 )	Sapphire Silver ( C10 )	
		Pacific Pearl ( C17 )	



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
White Acacia ( STWBFN )	Misty Grey ( CB023 )	Caribbean Coral ( C70 ) - Recommended	Xavia ( C11 ) - Recommended
Baobab ( STW192 )	Arctic Birch ( CG005 ) - Recommended	Sapphire Silver ( C10 ) - Recommended	
Weathered Ash ( ST362W - 22 ) - Recommended	Alaskan Driftwood ( CG011 ) - Recommended	Pacific Pearl ( C17 )	
	Grey Slate ( CG024 ) - Recommended	Concrete Grey ( C94 )	




PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
White Acacia ( STWBFN ) - Recommended	Swedish Oak ( CL016 ) - Recommended	Alpine Mist ( C26 ) - Recommended	Savanna ( C19 )
Jacaranda ( STW052 ) - Recommended	Natural Cedar ( CB024 ) - Alternative	Vintage Cream ( C96 ) - Recommended	
Marula ( STW066 ) - Recommended	Cinnamon Oak ( CL026 ) - Recommended	Swiss Oak ( C92 ) - Recommended	
Bur Oak ( ST362W - 27 )	Misty Grey ( CB023 ) - Recommended	Sahara Sand ( C12 )	
Barrel Oak ( ST362W - 15 )			

# METAL DECK SCREWS



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Acacia ( STW003 ) - Recommended	Natural Cedar ( CB024 ) - Recommended	Oasis Palm ( C76 )	Savanna ( C19 ) - Recommended
Marula ( STW066 )	Western Red Cedar ( CB025 )	Fire Koa ( C24 ) - Recommended	
Jacaranda ( STW052 ) - Recommended	Himalayan Cedar ( CL14 ) - Recommended	Teak Thai ( C14 ) - Recommended	
	Cedar Rose ( CL017 ) - Recommended	Copper Canyon ( C08 )	
	Chestnut Cedar ( CL017 ) - Recommended		



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
African teak ( STW138 ) - Recommended	Brizillian Teak ( CB010 )	Swiss Oak ( C92 )	Rustek ( C04 ) - Recommended
Jacaranda ( STW052 )	Western Red Cedar ( CB025 ) - Recommended	Oasis Palm ( C76 ) - Recommended	
Bur Oak ( ST362W - 27 ) - Recommended	Himalayan Cedar ( CL14 ) - Recommended	Sahara Sands ( C12 ) - Recommended	
Barrel Oak ( ST362W - 15 ) - Recommended		Tiger Cove ( C06 )	
		Spanish Saffron ( C07 )	




PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Jackalberry ( STW056 ) - Recommended	Brizillian Teak ( CB010 ) - Recommended	Tiger Cove ( C06 ) - Recommended	Aruna ( C05 ) - Recommended
Washed Wenge ( STW058 )	Hawaiian Walnut ( CB013 ) - Recommended	Spanish Saffron ( C07 ) - Recommended	Rustek ( C04 )
	Island Mahogany ( CB015 )		



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
	Island Mahogany ( CB015 ) - Recommended	Copper Canyon ( C08 ) - Recommended	
		Kona Sunset ( C09 ) - Recommended	



# METAL DECK SCREWS



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Jackalberry ( STW056 )	Carbonised Osage ( CD019 ) - Recommended	Espresso Roast ( C15 ) - Recommended	Aruna ( C05 )
Washed Wenge ( STW058 ) - Recommended			




PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Weathered Ash ( ST362W - 22 ) - Recommended	Carbonised Osage ( CD019 )	Cape Town Grey ( C11 ) - Recommended	Xavia ( C11 )
	Siberian Bark ( CD002 ) - Recommended	Concrete Grey ( C94 ) - Recommended	
	Charred Cedar ( CD020 ) - Recommended	Baltic Nero ( C02 ) - Recommended	



## TIMBER TRIM SCREWS

Composite trim screw for top fixing decking to timber frames



WHITE

LIGHT GREY

BEIGE

TAN BROWN

LIGHT BROWN

BROWN


RED BROWN

DARK BROWN

DARK GREY

## METAL TRIM SCREW

Composite trim screw for top fixing decking to metal frames





# TIMBER TRIM SCREWS

Use the timber trim screw for fastening composite or timber fascia boards of up to 18 mm thick onto timber frames without having to pre-drill unless specified by the decking manufacturer. It is suitable for softwood and most hard-woods frames. Pre-drilling may be required for dense hardwood frames.



**CS** **CARBON STEEL**  
C1022

**SS** **STAINLESS STEEL**  
SS316

Use the table below to help choose the HULK Fasteners screw that best matches your Eva-Last decking or decking of similar colour.



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Baobab ( STW192 ) - Recommended	Cloud Grey ( CG027 ) - Recommended	Caribbean Coral( C70 ) - Recommended	
	Arctic Birch( CG005 )	Sapphire Silver( C10 )	
		Pacific Pearl( C17 )	



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
White Acacia ( STWBFN)	Misty Grey ( CB023 )	Caribbean Coral( C70 ) - Recommended	Xavia ( C11 ) - Recommended
Baobab ( STW192 )	Arctic Birch ( CG005 ) - Recommended	Sapphire Silver( C10 ) - Recommended	
Weathered Ash ( ST362W - 22 ) - Recommended	Alaskan Driftwood ( CG011 ) - Recommended	Pacific Pearl( C17 )	
	Grey Slate ( CG024 ) - Recommended	Concrete Grey ( C94 )	



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
White Acacia ( STWBFN) - Recommended	Swedish Oak ( CL016 ) - Recommended	Alpine Mist ( C26 ) - Recommended	Savanna ( C19 )
Jacaranda ( STW052 ) - Recommended	Natural Cedar ( CB024 ) - Alternative	Vintage Cream ( C96 ) - Recommended	
Marula ( STW066 ) - Recommended	Cinnamon Oak ( CL026 ) - Recommended	Swiss Oak ( C92 ) - Recommended	
Bur Oak ( ST362W - 27 )	Misty Grey ( CB023 ) - Recommended	Sahara Sand( C12 )	
Barrel Oak ( ST362W - 15 )			

# TIMBER TRIM SCREWS



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Acacia ( STW003 ) - Recommended	Natural Cedar ( CB024 ) - Recommended	Oasis Palm ( C76 )	Savanna ( C19 ) - Recommended
Marula ( STW066 )	Western Red Cedar ( CB025 )	Fire Koa ( C24 ) - Recommended	
Jacaranda ( STW052 ) - Recommended	Himalayan Cedar ( CL14 ) - Recommended	Teak Thai ( C14 ) - Recommended	
	Cedar Rose ( CL017 ) - Recommended	Copper Canyon ( C08 )	
	Chestnut Cedar ( CL017 ) - Recommended		



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
African teak ( STW138 ) - Recommended	Brizillian Teak ( CB010 )	Swiss Oak ( C92 )	Rustek ( C04 ) - Recommended
Jacaranda ( STW052 )	Western Red Cedar ( CB025 ) - Recommended	Oasis Palm ( C76 ) - Recommended	
Bur Oak ( ST362W - 27 ) - Recommended	Himalayan Cedar ( CL14 ) - Recommended	Sahara Sands ( C12 ) - Recommended	
Barrel Oak ( ST362W - 15 ) - Recommended		Tiger Cove ( C06 )	
		Spanish Saffron ( C07 )	




PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Jackalberry ( STW056 ) - Recommended	Brizillian Teak ( CB010 ) - Recommended	Tiger Cove ( C06 ) - Recommended	Aruna ( C05 ) - Recommended
Washed Wenge ( STW058 )	Hawaiian Walnut ( CB013 ) - Recommended	Spanish Saffron ( C07 ) - Recommended	Rustek ( C04 )
	Island Mahogany ( CB015 )		



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
	Island Mahogany ( CB015 ) - Recommended	Copper Canyon ( C08 ) - Recommended	
		Kona Sunset ( C09 ) - Recommended	



# TIMBER TRIM SCREWS



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Jackalberry ( STW056 )	Carbonised Osage ( CD019 ) - Recommended	Espresso Roast ( C15 ) - Recommended	Aruna ( C05 )
Washed Wenge ( STW058 ) - Recommended			



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Weathered Ash ( ST362W - 22 ) - Recommended	Carbonised Osage ( CD019 )	Cape Town Grey ( C11 ) - Recommended	Xavia ( C11 )
	Siberian Bark ( CD002 ) - Recommended	Concrete Grey ( C94 ) - Recommended	
	Charred Cedar ( CD020 ) - Recommended	Baltic Nero ( C02 ) - Recommended	

# METAL TRIM SCREWS

The screw is specifically designed for the vertical application of thinner composite profiles ranging from 10 to 18 mm thickness onto metal structures without having to pre-drill.\*



**CS** CARBON STEEL  
C1022

**SS** STAINLESS STEEL  
SS410 \*Stainless Steel - While stock lasts.

Use the table below to help choose the HULK Fasteners screw that best matches your Eva-Last decking or decking of similar colour.



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Baobab ( STW192 ) - Recommended	Cloud Grey ( CG027 ) - Recommended	Caribbean Coral ( C70 ) - Recommended	
	Arctic Birch ( CG005 )	Sapphire Silver ( C10 )	
		Pacific Pearl ( C17 )	



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
White Acacia ( STWBFN )	Misty Grey ( CB023 )	Caribbean Coral ( C70 ) - Recommended	Xavia ( C11 ) - Recommended
Baobab ( STW192 )	Arctic Birch ( CG005 ) - Recommended	Sapphire Silver ( C10 ) - Recommended	
Weathered Ash ( ST362W - 22 ) - Recommended	Alaskan Driftwood ( CG011 ) - Recommended	Pacific Pearl ( C17 )	
	Grey Slate ( CG024 ) - Recommended	Concrete Grey ( C94 )	




PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
White Acacia ( STWBFN ) - Recommended	Swedish Oak ( CL016 ) - Recommended	Alpine Mist ( C26 ) - Recommended	Savanna ( C19 )
Jacaranda ( STW052 ) - Recommended	Natural Cedar ( CB024 ) - Alternative	Vintage Cream ( C96 ) - Recommended	
Marula ( STW066 ) - Recommended	Cinnamon Oak ( CL026 ) - Recommended	Swiss Oak ( C92 ) - Recommended	
Bur Oak ( ST362W - 27 )	Misty Grey ( CB023 ) - Recommended	Sahara Sand ( C12 )	
Barrel Oak ( ST362W - 15 )			



# METAL TRIM SCREWS



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Acacia ( STW003 ) - Recommended	Natural Cedar ( CB024 ) - Recommended	Oasis Palm ( C76 )	Savanna ( C19 ) - Recommended
Marula ( STW066 )	Western Red Cedar ( CB025 )	Fire Koa ( C24 ) - Recommended	
Jacaranda ( STW052 ) - Recommended	Himalayan Cedar ( CL14 ) - Recommended	Teak Thai ( C14 ) - Recommended	
	Cedar Rose ( CL017 ) - Recommended	Copper Canyon ( C08 )	
	Chestnut Cedar ( CL017 ) - Recommended		



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
African teak ( STW138 ) - Recommended	Brizillian Teak ( CB010 )	Swiss Oak ( C92 )	Rustek ( C04 ) - Recommended
Jacaranda ( STW052 )	Western Red Cedar ( CB025 ) - Recommended	Oasis Palm ( C76 ) - Recommended	
Bur Oak ( ST362W - 27 ) - Recommended	Himalayan Cedar ( CL14 ) - Recommended	Sahara Sands ( C12 ) - Recommended	
Barrel Oak ( ST362W - 15 ) - Recommended		Tiger Cove ( C06 )	
		Spanish Saffron ( C07 )	




PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Jackalberry ( STW056 ) - Recommended	Brizillian Teak ( CB010 ) - Recommended	Tiger Cove ( C06 ) - Recommended	Aruna ( C05 ) - Recommended
Washed Wenge ( STW058 )	Hawaiian Walnut ( CB013 ) - Recommended	Spanish Saffron ( C07 ) - Recommended	Rustek ( C04 )
	Island Mahogany ( CB015 )		



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
	Island Mahogany ( CB015 ) - Recommended	Copper Canyon ( C08 ) - Recommended	
		Kona Sunset ( C09 ) - Recommended	

# METAL TRIM SCREWS




PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Jackalberry ( STW056 )	Carbonised Osage ( CD019 ) - Recommended	Espresso Roast ( C15 ) - Recommended	Aruna ( C05 )
Washed Wenge ( STW058 ) - Recommended			



PIONEER	APEX PLUS & APEX	INFINITY	EVA-TECH
Weathered Ash ( ST362W - 22 ) - Recommended	Carbonised Osage ( CD019 )	Cape Town Grey ( C11 ) - Recommended	Xavia ( C11 )
	Siberian Bark ( CD002 ) - Recommended	Concrete Grey ( C94 ) - Recommended	
	Charred Cedar ( CD020 ) - Recommended	Baltic Nero ( C02 ) - Recommended	





[www.eva-last.com](http://www.eva-last.com)

 **HULK FASTENERS**.™

FASTENED, FOR LIFE.

A PRODUCT BY **EVA-LAST**®  
INSPIRED BY NATURE, DESIGNED FOR LIFE.